
Hybrid 200 App Android






The Hybrid200 App allows you to adjust settings and controls, monitor unit conditions in real time, check the weather forecast, and fill out the warranty card.

How to Download:






# Signing In With A Google Account:






Step 2: Choose an account to continue to the Hybrid200 App

### Signing In With A Google Account:



#### NOTE:

The profile registration screen will be displayed after signing in with Google. You will still need to enter your Google email address to ensure that your email address is associated with Hybrid200 account.



### Signing in by Creating A New Account:

#### Step 1:


Тар "Sign up with your email"

Step 2: Fill in your email address and password.

Ø

3

### Signing in by Creating A New Account:




#### Step 3:

An email will be sent to verify your email address

#### Step 4:

Check your email inbox or spam . Click on (or tap) the link toverify your email address

#### Signing in by Creating A New Account:




#### Step 5:

The validation process is complete


Step 6: Tap "Sign In"

### Signing in by Creating a New Account:




#### Step 7:

Enter your email address and password. Tap "Sign In"



Step 1: Tap "Forgot your password?"

**Step 2:** Enter your email address. Tap "Reset password"





#### Step 3:

An email will be sent to reset your password

#### Step 4:


Check your email's inbox or spam. Click the link to reset your password.






Step 7: Tap "Sign In"

Step 8: Enter your email address and your new password. Tap "Sign In"



#### Step 1: Tap "Add a system"


Step 2: This screen outlines the steps to add your system. Tap "Continue"



Step 3: Tap "Open Wi-Fi settings"

The unit generally shows up OTHER NETWORKS as "Hybrid200-Humifresh"

:



0

<

111


Step 5:

After connecting to the Hybrid200-Humifresh network, Tap "Continue"

12:51 🗳 🛎 🙆 🎬 🖘 📶 30% 🛎 12:51 🖼 🛎 🚺	a 😧 ¥ 🖘 💷 30% 🖁
Add a System Add a System	HUMI
< Back < Back	
STEP 2 OF 3STEP 2 OF 3Connect Your System to Your WI-FI NetworkConnect Your System Your WI-FI Network	
Your system has it's own wifi "hot spot" but in order to connect to the internet, it will need to connect to a wifi network. Enter your WI-FI network's SSID (or network name) and password below then click continue.Your system has it's own wifi " in order to connect to the int need to connect to a wifi network. Enter your WI-FI network's SSID (or network name) and password below then click continue.Your system has it's own wifi " in order to connect to the int need to connect to a wifi network. Enter your WI-FI network name) and password click continue.	ternet, it will network. 's SSID (or
→ SSID → SSID	
PASSWORD & PASSWORD	ø
More detailed instructions More detailed instruct	tions
Continue	
Please wait few seconds !	
	<


Step 6: Enter your Wi-Fi SSID and password. Tap "Continue"

Step 7: Wait while the system is being added.




Step 8: You may select your country Tap "Continue"

Step 9: Enter your address Tap "Continue"



Step 10: Your address successfully added.

Step 11: Tap "Done"





#### Step 12:

Your Humifresh is syncing with the Hybrid200 App.

#### Step 13:

Every 30 minutes, new Humifresh data will be displayed, and the outdoors temperature and humidity will be displayed

# How to Add Your System Using the Menu

1	2:59 🖪	۵	🍳 ¥ 🗟 📶 31% 🖁	12:59			0 (C N)	🗟 💷 31% 🖥
1		Hybrid200	, t		HUM	H.		Ļ
	m	Outdoors			Hybrid	200		
	۲ پ	C Nove	mber 29, 2022 2:52 PM	٢	ACCOUNT SETTINGS		~	19, 2022 M
	Â	Fan Speed		\$	SYSTEM SETTINGS		~	
	es e		es l	D	Warranty		>	\$
			re High	?	Support		>	HIGH
0		<ul> <li>Exhaust</li> </ul>	19°C	Ð	Add New S	ystem	>	19°C
Q	HUMIDITY		40%					40%
-	PRESSURE		1093 hPa					93 hPa
		<ul> <li>Supply</li> </ul>						
J	TEMPERATU	RE	5°C					5°C
Q	HUMIDITY		30%					30%
	PRESSURE		1094 hPa					94 hPa
(	Clairitech Inn	ovations Inc.						
	111	0	<		111	0	<	<


Step 1: Tap the menu icon

Step 2: Tap "Add New System"

19°C

5°C


# How to Change the Maximum (Max) Fan Speed:



Step 1: Tap the fans

Step 2: Tap "LOW" for available fan speeds.

# How to Change the Maximum (Max) Fan Speed:



#### Step 3: Tap the desired speed

Step 4: Once the preferred Max

Fan Speed is selected Tap "Change Max Fan Speed"


# How to Change the Max Fan Speed Using the Menu:

9:18 📥 🕰 🚥	a 😰 💥 🗟 📶 79%	12:5	) 🖬			🗟 al 31% 🖁
<b>a</b> 0	Hybrid200		HUN			<b>Å</b>
	Outdoors		Hybrid	200		
A y	November 29, 2022 2:52 PM	0	ACCOUNT SETTINGS		~	.9, 2022 VI
<b>^</b>	Fan Speed	۵	SYSTEM SETTINGS		$\sim$	
		D	Warranty	11	( >	99. 199.
LOW MEDIU		?	Support			HIGH
•	Exhaust	Ð	Add New S	vstem		
TEMPERATURE	E 19°C	Ŭ		,		19°C
🗞 HUMIDITY	40%					40%
- PRESSURE	1093 hPa					93 hPa
•	Supply					
TEMPERATURE	E 5°C					5°C
HUMIDITY	30%					30%
- PRESSURE	1094 hPa					94 hPa
C Clairitech Innov	ations Inc.					
	0 <			Ο	<	<

Step 1: Tap the menu icon

Step 2: Tap "SYSTEM SETTINGS"


### How to Change the Max Fan Speed Using the Menu:



### Step 3: Tap "Max Fan Speed"

Step 4: Tap "LOW" for available fan speeds.

### How to Change the Maximum (Max) Fan Speed:




#### Step 5: Tap the desired speed

#### Step 6:

Once the preferred Max Fan Speed is selected Tap "Change Max Fan Speed"

# How to Change Your Password Using the Menu:


9:18 📥 🗟 🚥	۵	<b>(c) 4</b> { 🖘   79% 💼			
=	Hybrid200	<b>.</b>			
	▲ Outdoors				
November 29, 2022 2:52 PM					
	🔒 Fan Speed				
Low	MEDIUM INTERMEDIAT	HIGH			
	• Exhaust				
J TEMPERA	TURE	19°C			
	,	40%			
⇒ PRESSUR	E	1093 hPa			
	<ul> <li>Supply</li> </ul>				
1 TEMPERA	TURE	5°C			
	, ,	30%			
- PRESSUR	E	1094 hPa			
C Clairitech	Innovations Inc.				
Ш	0	<			



Step 1: Tap the menu icon

Step 2: Tap "Account Settings"


### How to Change Your Password Using the Menu:



Step 3: Tap "Change Password"

#### Step 4: Enter your new password Tap "Change Password"


# How to Add or Update Your Personal Information:



Step 1: Tap the menu icon

Step 2: Tap "Account Settings"

### How to Add or Update Your Personal Information:



### Step 3: Tap "Change Profile"

Step 4: Enter your personal information Tap "update profile"


<

🙆 🏟 💐 🖘 💷 31% 🗷

HUMI FRESH

### How to Log Out From the App:


9:18 📤 🗟 🚥	<u> </u>	🕯 👬 🖘 📶 79% 🛢
<b>=</b>	Hybrid200	<b>.</b>
	Outdoors	
	2:	nber 29, 2022 52 PM
•	Fan Speed	
	UM INTERMEDIATE	Нібн
•	Exhaust	
TEMPERATUR	E	19°C
HUMIDITY		40%
_ PRESSURE		1093 hPa
	Supply	
J TEMPERATUR	E	5°C
HUMIDITY		30%
⇒ PRESSURE		1094 hPa
Clairitech Inno	vations Inc.	
	0	<



### Step 1: Tap the menu icon

Step 2: Tap "Account Settings"

# How to Log Out From the App:




Step 3: Tap "Log Out"

Step 4: You have successfully Logged Out.

# How to Change Your System Location:


9:18 🛋 🚳 🚥 🤷 🤷 🤷 🖄 🕄 📶 79% 🛢							
Hybrid200							
	nd Outdoors						
		ember 29, 2022 2:52 PM					
	♠ Fan Speed						
LOW		ATE HIGH					
	Exhaust						
TEMPERAT	URE	19°C					
HUMIDITY		40%					
PRESSURE		1093 hPa					
	<ul> <li>Supply</li> </ul>						
TEMPERAT	URE	5°C					
HUMIDITY		30%					
- PRESSURE	E	1094 hPa					
Clairitech l	nnovations Inc.						
111	Ο	<					



Step 1: Tap the menu icon

Step 2: Tap "System Settings"

# How to Change Your System Location:



Step 3: Tap "Location"




# How to Change Your System Location:

1:02		0 1	🗙 👬 🗟 📲 31% 🖁	1:03	3 🖬	۵	🌘 ¥ 🗊 📶 31% 🖁
	Syste	em Location	HUMI FRESH			System Location	HUMI
< 6	Back			<	Back		
į	ADDRESS				ADDRESS 1095 OF	nio Rd	
	State/Province Select State		Ŧ		State/Prov		•
	CITY				CITY Boudrea	au Ouest	
1	ZIP CODE				ZIP CODE B456N5	;	
		Save				Save	
				Ado	dress upd	ated successfully	
		0	<			0	<

Step 5: Enter the address where your system is located. Tap "Save" Step 6: The address has been successfully updated


9:18 🛋 🗟 🚥	0 %	X XI 🖘 📶 79% 💼
Ŧ	Hybrid200	<b>.</b>
	i∎ Outdoors	
	/ <u> </u>	nber 29, 2022 :52 PM
LOW		нідн
	Exhaust	
TEMPERAT	URE	19°C
		40%
- PRESSURE	E	1093 hPa
	<ul> <li>Supply</li> </ul>	
J TEMPERAT	URE	5°C
HUMIDITY		30%
ے PRESSURE	E	1094 hPa
Clairitech I	nnovations Inc.	
III	0	<



Step 1: Tap the menu icon


Step 2: Tap "System Settings"







#### Step 5: Tap "Open Wi-Fi Settings"

Step 6: The system unit should show uphere under OTHER NETWORKS as "Hybrid200-Humifresh" Tap "Hybrid200-Humifresh" and return to the app



Step 7: Tap "Continue" Step 8: Enter the new Wi-Fi SSID and password Tap "Continue"






Step 10: The system is successfully connected to the new Wi-Fi SSID. Tap "Done"

Step 11: The Dashboard

#### 9:18 📥 🗟 🚥 🙆 🙊 💐 🖘 💷 79% 💼 Hybrid200 Outdoors ı fi CA November 29, 2022 2:52 PM 0 🔒 Fan Speed \$ D B INTERMEDIATE IOV MEDIUM HIGH ? Exhaust $\oplus$ TEMPERATURE 19°C L HUMIDITY 40% • PRESSURE 1093 hPa Supply TEMPERATURE 5°C l HUMIDITY 30% % PRESSURE 1094 hPa $(\mathbf{c})$ Clairitech Innovations Inc. Ш $\bigcirc$ < |||


### How to Register Your Unit:



Step 1: Tap the menu icon

Step 2: Tap "Warranty"

# How to Register Your Unit:



Step 3: Tap "Begin Registration"

Step 4: Enter the contact information Of the system's owner. Tap "Continue"


# How to Register Your Unit:

1:1	3 🎮	I	<b>2 10 11</b> 🧙 🖩 33% 🖁	1:13	-		o o ¥ 🖘 🛯 33% 🖢
		Warranty	HUMI FRESH			Warranty	HUMI
<	Back			<	Back		
wh	ich owns this	ess of the individ s system.This ad he address whe installed.	dress does not	n G	ame,and invo CLICK F Serial N Unit Pur	chased From	e from your casing.
	ZIP CODE					chased Date	
		Continue		•	Unit inst	aller Name	
			m		Unit inst	alled date	
						Continue	
		0	<		111	Ο	<

Step 5: Enter the physical address of the system's owner. Tap "Continue"


Step 6: Enter the required information. Tap "Continue"

# How to Register Your Unit:



# How to Contact Support :

9:18 📥 🕸 🚥	B 1	🔉 💐 🖘 📶 79% 🛢
-	Hybrid200	<b>.</b>
	▲ Outdoors	
	2	nber 29, 2022 :52 PM
	A Fan Speed	
LOW	MEDIUM INTERMEDIATI	HIGH
	Exhaust	
8 TEMPERA	TURE	19°C
	/	40%
- PRESSUR	E	1093 hPa
	<ul> <li>Supply</li> </ul>	
U TEMPERA	TURE	5°C
HUMIDITY	(	30%
- PRESSUR	E	1094 hPa
C Clairitech	Innovations Inc.	
	0	<



Step 1: Tap the menu icon

Step 2: Tap "Support"

### How to Contact Support:

