





The Hybrid200 App allows you to adjust settings and controls, monitor unit conditions in real time, check the weather forecast, and fill out the warranty card.

How to Download:





New Account:

Signing in

by Creating A


Hybrid 200	< Hybrid 200
Get Started Create a Hybrid200 account to monitor or configure your Hybrid 200 series system Sign up with your email	New Account Enter your email address and choose your password to create a new account MAIL ADDRESS
Already have an account ?	CHOOSE A PASSWORD
	CONFIRM PASSWORD Create account Already have an account ? Sign in

Step 1:

Tap "Create a new account"

Step 2: Fill in your email address and password.

Signing in by Creating A New Account:




Step 3:

An email will be sent to verify your email address

Step 4:

Check your email inbox or spam . Click on (or tap) the link to verify your email address

Signing in by Creating A New Account:




Step 5:

The validation process is complete

Step 6: Tap "Sign In"

Signing in by Creating a New Account:



Step 7: Enter your email address and password. Tap "Sign In"

How to Reset Your Password:


< Hybrid 200	10:52 I ♀ I
Sign in You may sign in with an email address associated with an existing Hybrid200 account or using Google Mail ADDRESS PASSWORD Sign In Sign In Forgot your passwol Don't already have an account	Image: Contraction Contract Contraction Contract Contra
Create a new accou	

Step 1:

Tap "Forgot your password?"

Step 2: Enter your email address. Tap "Reset password"

How to Reset Your Password:



Step 3:

An email will be sent to reset your password

Step 4:

Check your email's inbox or spam. Click the link to reset your password.

How to Reset Your Password:

gjit-f10f4.firebaseapp.com	<	1
Reset your password		
for raouf1995.brahim@gmail.c	om	
lew password		-
	•	0
	SAVE	
	SAVE	1.
	SAVE	In
	SAVE	
	SAVE	

< :

Password changed

You can now sign in with your new password


Step 5:

Enter your new password. Tap "SAVE"

Step 6:


The reset password process is completed.

How to Reset Your Password:




Step 7: Tap "Sign In" Step 8: Enter your email address and your new password. Tap "Sign In"

How to Add Your System



Step 1: Tap "Add a system"

Step 2: This screen outlines the steps to add your system. Tap "Continue"




10:04 Hybrid200	чI \$ Б
Settings Wi-Fi	
Wi-Fi	
✓ UMoncton	€ ? (i)
MY NETWORKS	
Hybrid200-Humifresh	-fa4a 🍙 훅 і
OTHER NETWORKS $\beta_{in}^{i_{a}}$	
DIRECT-23-HP	
DIRECT-67-HP M4281	dw LJ
eduroam	ê ç (j
umcm-projets	€ ? (i)
umcm-visiteur	? (i)
Other	
Ask to Join Networks	Notify >
Known networks will be joined a known networks are available, y available networks.	
Auto-Join Hotspot	Ask to Join >
Allow this device to automatica	lly disco ver nearby

Step 3: Tap "Open Wi-Fi settings"

Step 4:

The unit generally shows up OTHER NETWORKS as "Hybrid200-Humifresh"




Step 5: Tap "Continue" Step 6: Enter your Wi-Fi SSID and password. Tap "Continue"

20		чI 🗢 👘	10:04 ◄ Hybrid200		ul ≎
	Add a System	HUMI FRESH	< Settings	Wi-Fi	
			Wi-Fi		C
	STEP 2 OF 3		V UMoncto	on 🌔	â 🗢 (i
(onnect To your Int	ernet	MY NETWORKS		
	tulations! Your system h lly added. There are just a		Hybrid20	00-Humit	∻ (i
	left. able the connection with ect to your home Wi-Fi ne		OTHER NETWO		
	internet data).		DIRECT-	23-HP	🔒 🤶 i
	Open WI-FI settings		DIRECT-	67-HP M428fdw L	J 🔒 🤶 ϳ
1	ore detailed instructio	ns	eduroam	(🔒 🤶 i
	Continue		umcm-p	rojets	🔒 🗢 🤅
			umcm-vi	siteur	? (i
			Other		
			Ask to Join		Notify 2
				ks will be joined autom ks are available, you w orks.	
			Auto-Join H	lotspot	Ask to Join
			Allow this devi	c e to automatically dis	cover nearby

Step 7: To reconnect to your internet

Step 8: Choose your Home Wi-Fi

Tap "Open Wi-Fi settings"




Step 9:

You may select your country Tap "Continue"


Step 10: Enter your address Tap "Continue"

How to Add Your System



Step 11: Your address successfully added. Step 12: Tap "Done"

10:21		al 🗢 🐝	\equiv
		HUMI	
< Back			
9	Syncing		
			k
			₽ T
			⊗ ⊢
This may take f	n is syncing with the ive to seven minutes ime they've connecte	if this is	_
			<u>₿</u> T
			⊗ ⊢



Step 13:

Your Humifresh is syncing with the Hybrid200 App.

Step 14:

Every 30 minutes, new Humifresh data will be displayed, and the outdoors temperature and humidity will be displayed


How to Change the temperature unit (Celsius To Fahrenheit)


≡	Hybrid20	•••
	🛍 Outdoo	rs
Moncto Clou 0°C - 4	idy 🗳 🖞	November 29, 2022 2:52 PM
	🔒 Fan Spee	ed
LOW	MEDIUM INTERM	EDIATE HIGH
	Exhaus	it
J TEMPE	ERATURE	C C
💩 HUMIC	DITY	
PRESS	SURE	1093 hPa
	 Supply 	/
1 TEMPE	ERATURE	572
💩 Humie	DITY	30
PRES	SURE	1094 hPa
C Clairit	tech Innovations Inc.	

Step 1:

To change the temperature (Celsius to Fahrenheit) Click on the value of the temperature.

How to Add Your System Using the Menu







Step 1: Tap the menu icon

Step 2: Tap "Add New System"

How to Change the Maximum (Max) Fan Speed:





Step 1: Tap the fans Step 2: Tap "LOW" for available fan speeds.

How to Change the Maximum (Max) Fan Speed:

A Back	Max Fan Speed	HUMI FRESH	< Back	Max Fan Speed	HUMI
C Dack					
Select	your preferred Max Fan	Speed.	Select y	our preferred Max Far	n Speed.
	LOW MEDUIM INTERMEDIATE HIGH			MEDUIM ↓ Change Max Fan Speed ↓	
			The preferre	d Max Fan Speed is changed	


Step 3: Tap the desired speed

Step 4:

Once the preferred Max Fan Speed is selected Tap "Change Max Fan Speed"

How to Change the Max Fan Speed Using the Menu:


Hybrid200					
🛍 Outdoors					
CA y Marc	:h 3, 2023 3:33 PM				
♠ Fan Speed					
Low MEDIUM INTERMEDIATE	HIGH				
Exhaust					
TEMPERATURE	NULL				
HUMIDITY	NULL				
PRESSURE	NULL				
 Supply 					
TEMPERATURE	NULL				
HUMIDITY	NULL				
➡ PRESSURE	NULL				
· · · · · · · ·					




Step 1: Tap the menu icon



How to Change the Max Fan Speed Using the Menu:





Step 3: Tap "Max Fan Speed"

Step 4: Tap "LOW" for available fan speeds.

How to Change the Maximum (Max) Fan Speed:

Max Fan Speed		Max Fan Speed	HUMI
< Back	< Back		
Select your preferred Max Fan Speed.	Select y	our preferred Max Far	n Speed.
LOW MEDUIM INTERMEDIATE HIGH		MEDUIM ↓ Change Max Fan Speed	
	The preferre		

Step 5: Tap the desired speed

Step 6:

Once the preferred Max Fan Speed is selected Tap "Change Max Fan Speed"


	Hybrid 200		12:59	•			R al 31%8
	■ Outdoors	Ť.		Hybrid	-		Ĺ
	CA Jy — March %	a 3, 2023 3:33 PM	0	ACCOUNT SETTINGS		~	19, 2022 M
	🔒 Fan Speed		\$	SYSTEM SETTINGS		In	
			D	Warranty			
	LOW MEDIUM INTERMEDIATE	HIGH	?	Support			GH
	Exhaust		\oplus	Add New S	system	>	
J	TEMPERATURE	NULL					19°C
Ø	HUMIDITY	NULL					40%
	PRESSURE	NULL					93 hPa
	 Supply 						
	Suppry						5°C
J	TEMPERATURE	NULL					30%
Ø	HUMIDITY	NULL					94 hPa
_	PRESSURE	NULL					
				111	0	<	

How to Change Your Password Using the Menu:

Step 1: Tap the menu icon

Step 2: Tap "Account Settings"

How to Change Your Password Using the Menu:



Step 3: Tap "Change Password"

Step 4: Enter your new password Tap "Change Password"

Ø

Ø


How to Add or Update Your Personal Information:

	12:59 🖬 🔹 🖄 🌚 al 31% 8
■ Outdoors	
	Hybrid200
A March 3, 2023	
y 3:33 PM	ACCOUNT SETTINGS
🔒 Fan Speed	SYSTEM SETTINGS
	The Warranty
LOW MEDIUM INTERMEDIATE HIGH	③ Support > HGH
► Exhaust	⊕ Add New System > 19°C
ETEMPERATURE NULL	40%
& HUMIDITY NULL	40% 93 hPa
→ PRESSURE NULL	93 HPa
 ▲ Supply 	5°C
TEMPERATURE NULL	30%
HUMIDITY NULL	94 hPa
PRESSURE NULL	
	III O <

Step 1: Tap the menu icon

Step 2: Tap "Account Settings"


How to Add or Update Your Personal Information:



Step 3: Tap "Change Profile"

Step 4: Enter your personal information Tap "update profile"


How to Log Out From the App:




Step 1: Tap the menu icon

Step 2: Tap "Account Settings"

How to Log Out From the App:








Step 4: You have successfully Logged Out.

How to Change Your System Location:


Thybrid 200				
🛍 Outd	oors			
dy a	March 3, 2023 3:33 PM			
🔒 Fan Sp	beed			
LOW MEDIUM INT	ERMEDIATE			
► Exha	lust			
TEMPERATURE	NULL			
	NULL			
🚅 PRESSURE	NULL			
 ✓ Sup 	 ✓ Supply 			
1 TEMPERATURE	NULL			
	NULL			
, PRESSURE	NULL			



Step 1: Tap the menu icon

Step 2: Tap "System Settings"

How to Change Your System Location:



Step 3: Tap "Location"




How to Change Your System Location:

9:42	II 🗢 🚱	9:43		.ıl 🍣 🚯
System Location	HUMI		System Location	HUMI
< Back		< Back		
1000500		ADDRES	ss Main Street	
ADDRESS 	•	State/Pr		•
CITY				
ZIP CODE		E1A4F	7	
Save			Save	
		Address up	dated successfully	

Step 5:

Enter the address where your system is located. Tap "Save" Step 6: The address has been successfully updated


Hybrid200			
Outdoors			
CA Iy Ma	rch 3, 2023 3:33 PM		
A Fan Speed			
LOW MEDIUM INTERMEDIATI	HIGH		
Exhaust			
1 TEMPERATURE	NULL		
HUMIDITY	NULL		
PRESSURE	NULL		
 ✓ Supply 			
I TEMPERATURE	NULL		
HUMIDITY	NULL		
→ PRESSURE	NULL		




Step 1: Tap the menu icon

Step 2: Tap "System Settings"

How to Change Your Wi-Fi Connection:




Step 3: Tap "Change Wi-Fi Connection" Step 4: This screen outlines the upcoming steps. Tap "Continue"




Step 5: Tap "Open Wi-Fi Settings"


Wi-Fi ✓ UMoncton ? (i) MY NETWORKS Hybrid200-Humifresh-fa4a... **?** (i) OTHER NETWORKS DIRECT-23-HP (i) DIRECT-67-HP M428fdw (i) eduroam 🔒 🗢 🚺 umcm-projets ● ? (i) umcm-visiteur **?** (i) Other... Ask to Join Networks Notify > Known networks will be joined automatically. If no known networks are available, you will be notified of available networks. Auto-Join Hotspot Ask to Join > Allow this device ver nearby

Step 6: The system unit should show uphere under OTHER NETWORKS as "Hybrid200-Humifresh" Tap "Hybrid200-Humifresh" and return to the app





How to Change Your Wi-Fi Connection:




Step 10:

The system is successfully connected to the new Wi-Fi SSID. Tap "Done"

Step 11: The Dashboard

How to Register Your Unit:

Hybrid200	.		
🛍 Outdoors			
	ber 29, 2022 52 PM		
♠ Fan Speed			
Low MEDIUM INTERMEDIATE	нідн		
► Exhaust			
I TEMPERATURE	19°C		
HUMIDITY	40%		
_ PRESSURE	1093 hPa		
 Supply 			
J TEMPERATURE	5°C		
HUMIDITY	30%		
- PRESSURE	1094 hPa		
Clairitech Innovations Inc.			



Step 1: Tap the menu icon Step 2: Tap "Warranty"

How to Register Your Unit:

Warranty HUMI	Warranty FRESH
< Back	< Back
MAIN STREET UNIT Warranty Status	Enter the name and contact information of the individual or business which owns this system.
Registration Incomplete	💄 First Name
To complete your warranty registration you will require	Last Name
information from your invoice and/or unit casting including:	Email Address
SUPPLIER NAME DATE OF PURCHASE SERIAL NUMBER	Phone Number
CLICK HERE for instructions for how to find your serial number	Continue
Step 3: Tap "Begin Registration"	Step 4: Enter the contact information Of the system's owner

Of the system's owner. Tap "Continue"

How to Register Your Unit:

Warranty HUMI	Warranty FRESH		
< Back	< Back		
Enter the address of the individual or business which owns this system.This address does not need to match the address where the system is installed.	Entrer the serial number,supplier name,and date of purchase from your invoice and/or unit casing. CLICK HERE FOR INSTRUCTIONS		
ADDRESS	ন্দ্র Serial Number		
CITY			
PROVINCE	Unit Purchased Date		
ZIP CODE	Lunit installer Name		
Continue	Unit installed date		
	Continue		

Step 5:


Enter the physical address of the system's owner. Tap "Continue" Step 6: Enter the required information. Tap "Continue"

How to Register Your Unit:

	Warranty	HUMI FRESH		
< Back				
	N STREET UI 'arranty Statu			
Reg	gistration Pendi	ng		
	etween 3 and 10 bu warranty registratio processed.			Step 7: Tap "Done
CL	ICK HERE for suppo	rt		
	Done			

How to Contact Support :

Hybrid200	, t		
🛍 Outdoors			
GA y Soverm %	ber 29, 2022 52 PM		
♠ Fan Speed			
LOW MEDIUM INTERMEDIATE	нібн		
Exhaust			
I TEMPERATURE	19°C		
HUMIDITY	40%		
→ PRESSURE	1093 hPa		
 Supply 			
TEMPERATURE	5°C		
HUMIDITY	30%		
→ PRESSURE	1094 hPa		
Clairitech Innovations Inc.			



Step 1: Tap the menu icon Step 2: Tap "Support"

How to Contact Support:

